



COPY OF PAPERS
ORIGINALLY FILED KOB-9, Serial No. 10/072,200

REMARKS

Please amend the Brief Description of the Drawings to conform with the drawing corrections set forth in the accompanying Letter to the Official Draftsman. The amendments to the Brief Description of the Drawings correspond to the corrections made to the identification of the cross section lines in the drawings.

Respectfully submitted,

Date: May 21, 2002

By: Thomas J. Ring
Reg. No. 29,971

Wildman, Harrold, Allen & Dixon
225 W. Wacker Drive
Chicago, IL 60606-1229
312/201-2000
312/201-2555 (FAX)

CERTIFICATE OF MAILING

CERTIFICATE OF MAILING

I hereby certify that this paper is being deposited with the United States Postal Service as first class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231 on

May 22, 2002
Mary Anne Everett

RECEIVED
JUN - 7 2002
TECHNOLOGY CENTER 2800



COPY OF PAPERS
ORIGINALLY FILED

KOB-9

IN THE UNITED STATES PATENT AND TRADEMARKS OFFICE

In re Application of:
Jesus Fernandez-Grandizo Martinez

Serial No. 10/072,200

Filed: February 7, 2002

) MOTOR MOUNTING BASE
)
)
)
)
)

Hon. Commissioner of Patents and Trademarks
Washington, D.C. 20231

RECEIVED
JUN - 7 2002
TECHNOLOGY CENTER 2800

APPENDIX

AMENDMENTS TO THE BRIEF DESCRIPTION OF THE DRAWINGS

VERSION WITH MARKINGS TO SHOW CHANGES MADE

Brief Descriptions of the Drawings:

FIGURE 1 is a top plan view of the motor mounting platform.

FIGURE 2 is a sectional view taken along line [B-B] 2-2 of the brush holder guides as seen in FIGURE 1.

FIGURE 3 is a sectional view taken along line [A-A] 3-3 of the motor mounting platform as seen in FIGURE 1.

FIGURE 4 is a bottom plan view of the motor mounting platform.

FIGURE 5 is a top plan view of the motor mounting platform showing a motor mounted on the platform.

FIGURE 6 is a sectional view taken along line [C-C] 6-6, as seen in FIGURE 5.

FIGURE 7 is an exploded perspective view showing a commutating brush, brush holder and a partial cut-away of the motor mounting platform showing the brush holder guides, guide slots and stop bar.

FIGURE 8 is a partial cut-away side elevation of the assembled brush holder as seen in
FIGURE 7.

FIGURE 9 is a partially assembled perspective view of the brush holder assembly as seen
in FIGURE 7.

FIGURE 10 is a rear view of a fully assembled brush holder assembly as seen in
FIGURE 7.